UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/541,407	07/01/2005	Pieter Willem Medema	NL 030019	6709
24737 7590 04/23/2008 PHILIPS INTELLECTUAL PROPERTY & STANDARDS P.O. BOX 3001			EXAMINER	
			ALEXANDER, REGINALD	
BRIARCLIFF MANOR, NY 10510			ART UNIT	PAPER NUMBER
			3742	
			MAIL DATE	DELIVERY MODE
			04/23/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
Office Action Comments	10/541,407	MEDEMA, PIETER WILLEM				
Office Action Summary	Examiner	Art Unit				
	Reginald L. Alexander	3742				
The MAILING DATE of this communica Period for Reply	tion appears on the cover sheet with	the correspondence address				
A SHORTENED STATUTORY PERIOD FOR WHICHEVER IS LONGER, FROM THE MAII - Extensions of time may be available under the provisions of 3 after SIX (6) MONTHS from the mailling date of this communically If NO period for reply is specified above, the maximum statute. Failure to reply within the set or extended period for reply will, Any reply received by the Office later than three months after earned patent term adjustment. See 37 CFR 1.704(b).	LING DATE OF THIS COMMUNICA 57 CFR 1.136(a). In no event, however, may a rep- cation. bry period will apply and will expire SIX (6) MONTH, by statute, cause the application to become ABAI	ATION. lly be timely filed HS from the mailing date of this communication. NDONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed of	on .					
	☐ This action is non-final.					
·=	, 					
,—	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4)⊠ Claim(s) <u>1-10</u> is/are pending in the app						
	4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.	_					
· <u> </u>	· · · · · · · · · · · · · · · · · · ·					
	6) Claim(s) <u>1-4,9 and 10</u> is/are rejected.					
7) Claim(s) <u>5-8</u> is/are objected to.						
8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers						
9)☐ The specification is objected to by the Examiner.						
10)⊠ The drawing(s) filed on <u>01 July 2005</u> is/are: a)⊠ accepted or b)⊡ objected to by the Examiner.						
Applicant may not request that any objectio	n to the drawing(s) be held in abeyance	e. See 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 7/1/05.	-948) Paper No(s)/	mmary (PTO-413) Mail Date ormal Patent Application -				

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-4 and 9 are rejected under 35 U.S.C. 102(e) as being anticipated by Cai.

There is disclosed in Cai a container receiving unit 10, comprising: a receiving space for receiving a container 12 for holding a beverage material; a reservoir 24 for containing beverage; a distribution system, including an inlet 22 connected to the reservoir, two outlets 36a, 36b for dispensing beverage; a liquid flow path extending between the inlet and the outlets; and means 29 for reducing the speed of beverage flowing from the reservoir, including a v-shaped restriction which forms two exit paths 34 for the beverage.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Cai in view of Kraan.

Kraan discloses that it is known in the art to have a water unit and connecting flow path for providing hot water to a container receiving unit.

It would have been obvious to one skilled in the art to provide the apparatus of Cai with a water unit as taught by Kraan, in order to provide hot water to the container receiving unit.

Allowable Subject Matter

Claims 5-8 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The patents to Cortese, Lin, Muttoni, Ruhnke and Bixby, Jr. et al. are cited for their disclosure of the state of the art.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Reginald L. Alexander whose telephone number is 571-272-1395. The examiner can normally be reached on Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tu Hoang can be reached on 571-272-4780. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/541,407 Page 4

Art Unit: 3742

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

22 April 2008

/Reginald L. Alexander/ Primary Examiner, Art Unit 3742